

Q 1 : Case 38 (chief complaint: hair loss on head) Question about using two mineral remedies on the same day.

Currently, Syph. and Ars. are given twice a week for neutralization of the Covid vaccine (2 doses), as shown in Table 1. I prescribe Phos. 5/w as a constitutional remedy for hair loss.

The client's condition is improving, although there is no improvement in hair loss, so I plan to increase Phos. to take daily.

Question: Is there no problem to take the mineral remedies Ars. and Phos. on the same day, like Monday and Friday in Table 2? If they can be taken on the same day, is this order appropriate?

Current prescription (Table 1)

	Remedy	Potency	times/day	times/week	Mon.	Tue.	Wed.	Thurs.	Fri.	Sat.	Sun.
1	Carb-v	Q8	2/d	6/w	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	Hep	Q3	1/d	1/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Syph	Q13	2/d	4/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2	Tub-b	Q4	2/d	3/w	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	Phos. <i>(Cm 1)</i>	Q3	1/d	5/w	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3	Ars. <i>(Jabr)</i>	Q9	2/d	2/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Future prescribing plans (Table 2)

	Remedy	Potency	times/day	times/week	Mon.	Tue.	Wed.	Thurs.	Fri.	Sat.	Sun.
1	Carb-v	Q8	2/d	6/w	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	Hep	Q3	1/d	1/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Syph	Q13	2/d	4/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2	Tub-b	Q4	2/d	3/w	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	Phos.	Q3	1/d	7/w	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4	Ars.	Q9	2/d	2/w	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Q2: Case 58 (Chief complaint: malignant lymphoma) How to take Organ Remedy Q1?

Your advice was Q1 and 6X of Scroph-n. as the main remedies for malignant lymphoma.

Question 1: Should Q1 be sniffed? ^{yes} or taken orally? _{+ -}

Question 2: Do you succuss the bottle before taking the Q1 remedy? ^{yes} 1-2x
If yes, please let us know how many times (e.g., 1 succussion) and how often (e.g., 1/w).

Q3 : How to use prednisolone remedy

The client in Case 57 (chief complaint: sequelae of steroid treatment to the kidneys and heart failure) is taking the remedies as below and has improved renal function values and cardiac function (breathlessness and palpitations are reduced). However, the oral steroid medication for membranous nephropathy has continued, with gradual reductions, and the side effects of the steroids, moon face and wild shoulder (fat accumulation from the back of the neck to the upper back and shoulders), are gradually getting worse.

- rehabilitate*
1. Sulph.(10%) Q2, x1/d
 2. Syph. Q15, x 2/d, 2/w / Tub-b. Q14 , x2/d, 5/w
 3. Acon. Q4 , x2-3/d
- MT) Crat, 15 drops, x3/d (before every meal)
MT) Berb-v. 15 drops, x3/d (before every meal)

During the case supervision, you advised me to use prednisolone Q4 twice daily as an option to neutralize the overreaction to prednisolone.

I would like to maintain my current prescription which helps renal and cardiac function improve. I also would like to add Prednisolone Q4 twice daily to the current prescription. How could I add it?

3

Q4: Should Syph. be raised above Q31?

I have learned before from you that when Miasm nosodes reach Q30 then they can go back to Q1. From my experience with Tub-b, going back to Q1 after reaching Q30 caused no problems.

However, for one client who still needed Syph. above Q30, I gave her Q1 after Q30 and then sequentially increased the potency to Q2 and Q3. Since Syph. went back to Q1, her symptoms have gradually come back. They got even worse now at Q3 than at Q1.

From this experience, I think in the case of Syph. it would be better to continue raising Syph. above Q30 to Q31 and higher, instead of lowering it to Q1. Please give me your advice on this. [→]

Q5 :How to use Enterobacteria nosodes in Qportency

We already learned from you how to use Enterobacteria nosodes as a 2nd remedy; 200C, once a week.

If we want to use Enterobacter nosodes every day as a third remedy (as a main), which Q potencies would we start with?

For example, if we want to use Gaertner for a child with a strong Syphilitic tendency who is hypersensitive and malnourished, could we use it as follows?

ex) all 5succussion

1. Carb-an. Q1^c x2/d
2. Tub-b. Q3^h Syph.Q4^f x2/d, every 48 hours
3. Gaert. Q2 (or higher?) x2/d

